

THE LATICRETE SYSTEM



2011

Product Selection Catalogue

LATICRETE System Materials

High strength and weather resistant ceramic tile and stone installation materials

- Tile Adhesives
- Waterproofing Membranes
- Grouts
- Renders
- Epoxy Grouts
- Screeds
- Additives
- Cleaners
- Sealers



HEAD OFFICE: 29 Telford St, Virginia, QLD 4014
Free Ph: 1800 331 012 | Free Fax: 1800 808 549
info@laticrete.com.au | www.laticrete.com.au
LATICRETE NZ: Ph: 0800 002 005

SALES & TECHNICAL ADVICE: QLD: 0418 393 642
NSW: 0418 761 428 VIC: 0439 729 235

THE LATICRETE SYSTEM

TILE ADHESIVES

WATERPROOFING MEMBRANES

GROUTS

RENDERS

EPOXY GROUT

SCREEDS

ADDITIVES

CLEANERS

SEALERS

**COVERING A COMPLETE RANGE
OF BUILDING REQUIREMENTS**

INDUSTRIAL

COMMERCIAL

DOMESTIC

FACADES

SWIMMING POOLS

MANUFACTURER PROFILE

LATICRETE is the world leader in high strength, shock and weather resistant installation systems for ceramic tile, pavers, brick and stone.

For over 50 years, LATICRETE has provided the technology and products to make innovative, permanent installations for ceramic tile and related finishes.

LATICRETE materials are engineered to perform as a system. Fully compatible products for surface preparation, waterproofing, adhesives and grouting, ensure single source responsibility.

WARRANTY

All LATICRETE materials are guaranteed not to deteriorate or breakdown when used as per instructions printed in LATICRETE literature.

The LATICRETE system is guaranteed not to deteriorate or breakdown for 10 years when used as a total system. This warranty covers Materials and Labour.

TECHNICAL SUPPORT

LATICRETE offers technical support for all tile and stone installations. LATICRETE prepares custom specifications with the correct choice of materials to suit your project.

**Call our Toll Free
Technical Support Hotline**

1800 331 012



ENGINEERED FOR HIGH PERFORMANCE

CEMENT BASED ADHESIVES	280 Standard Cement Based Adhesive	5
	317 Super Cement Base Adhesive	5
	290 Super Floor' n Wall Premium Cement Based Adhesive	5
MULTI PURPOSE ADHESIVES	Premium Cementitious 335 Flexible Adhesive	6
	Multi Purpose 253 Flexible Adhesive	6
	Ultra X8 Polymer Fortified Flexible Adhesive	6
	Latafix 248 Multi Purpose Adhesive	6
	4-XLT For Extra Large Tile	7
	Lataflex Gold (Flexible) Multi Purpose Adhesive	7
	Lataflex Silver Multi Purpose Adhesive	7
Multiflex Multi Purpose Flexible Adhesive	7	
SPECIALISED ADHESIVES	Multimastic Premium Adhesive	8
	Anti-Fracture Adhesive (Flexible 2 Part Rubber)	8
	LATAPOXY 310 Spot Bonding	8
MORTAR POWDERS & SELF LEVELLER	226 Thick Bed Mortar Mix	9
	211 Crete Filler Powder	9
	86 LatiLevel Self Levelling Underlayment	9
LATEX ADMIXES	101 Rapid Set Latex Admix	10
	333 Super Flexible Additive	10
	1776 Flexible Grout Fortifier	10
	Latabond Latex Admix	10
	4237 Latex Mortar Admix	11
	4237 RAPID Latex Mortar Admix	11
	3701 Grout & Mortar Admix	11
73 Tile Setting Liquid	11	
GROUTING MATERIALS	A guide to available grout colours	12
	SpectraLock Pro Grout	15
	Permacolour Grout	15
	Smooth Grout for Joints Under 3mm	15
	Sanded Grout for Joints Over 3mm	15
	Slate & Quarry Grout	15
COMMERCIAL GROUTING MATERIALS	LATAPOXY SP-100	16
	SpectraLOCK 2000 IG	16
SEALERS, CLEANERS & PRIMERS	190 Sealer	17
	TC 50	17
	Epistrip Ultra Clean	17
	Multiprime	17
WATERPROOF MEMBRANES	Hydro Ban Liquid Applied Waterproof Membrane	18
	9235 Liquid Applied Waterproof Membrane	18
	9237 Liquid Applied Rubber Waterproof Membrane	18
SOUND CONTROL PRODUCTS	AttenuMat-720 Sound Control Mat	19
	LataCoustic Sound Control	19
TERMS & CONDITIONS OF SALE	Including payment and delivery terms, returns, cancellations and special order	20

PRODUCT SELECTION GUIDE

Products		Performance		Cement Sheet, (Row)	Plaster Board - Internal	Concrete / Render / Screeds	Block Work	Lightweight Block Work	Intermittent wet areas - internal	Permanent wet areas - internal	Heated Floors	Slurry Bond Coats	Steel	Self Levelling Underlayments - Internal	Crack Suppression Capabilities	Spot Bond Method / Commercial	Extra Heavy Duty / Industrial	Facades	Moisture Sensitive Stone	External	Tile Over Tile
		Walls	Floors																		
Multi Mastic #15 - Internal only	D2TE	✓	✓	✓	✓	✓	✓	✓													
290 Super Floor n Wall	C2TE	✓	✓		✓	✓		✓	*	*	*	✓			✓	✓	✓		✓	✓	
4-XLT	C1TES1	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓			✓		✓		✓	✓	
Multiflex	C1TES1	✓	✓	#	✓	✓	✓	✓		✓		✓									✓
Lataflex Silver	C1TES1	✓	✓	#	✓	✓	✓	✓		✓		✓									✓
Lataflex Gold	C1TES1	✓	✓	✓	✓	✓	✓	✓		✓	*	✓			✓		✓		✓	✓	
Ultra X8 Tile Adhesive	C2TE	✓	✓	✓	✓	✓	✓	✓	*	✓	*	✓			✓	✓	✓		✓	✓	
253 Multi-Bond Purpose	C2TES1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓				✓	✓	
335 Premium	C2TES1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓		✓	✓	
Lataflex Gold / 3701 Mortar Admix	C2TES2	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓			✓		✓		✓	✓	
317 Super / 3701 Mortar Admix	C2TE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓		✓	✓	
Anti Fracture Adhesive	C2TES2	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓								✓
317 / 101 Rapid Set Latex	C2TEFS1	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓			✓	✓		✓	✓	✓	
LATAPOXY Adhesives	R2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	**	✓	**	✓	✓	✓	✓	✓	✓	✓
226 Thick Bed / 3701 Mortar Admix	35mpa	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓		✓	✓	
3701 Grout & Mortar Admix		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓		✓	✓	
Latabond Mortar Admix		✓	✓	✓	✓	✓	✓	✓		✓	✓	✓			✓				✓		
Latascreed pre-blended screed mix			✓		✓			✓	*	*					✓	✓			✓		
Latilevel Self Levelling Underlayment			✓	*	✓					✓	*		✓		✓	✓			✓	✓	**
Hydro Ban Waterproof Membrane	Class 3	✓	✓	✓	✓	✓	**	✓	✓	✓		**	✓	✓	✓	✓	✓		✓	✓	**
9237 Waterproof Membrane	Class 3	✓	✓	✓	✓	✓		✓	✓	✓			✓		✓	✓	✓		✓	✓	**
Grout Smooth	CG1	✓	✓					✓													
Grout Sanded	CG2	✓	✓					✓													
Quarry Grout		✓	✓					✓													
PermaColor Grout	CG2F	✓	✓	✓	✓			✓	✓	✓					✓		✓		✓		
SP 100 Epoxy Grout	RG	✓	✓					✓	✓	✓		✓			✓	✓	✓	✓	✓	✓	
SpectraLock Pro Grout		✓	✓	✓	✓			✓	✓	✓					✓		✓	✓	✓		
SpectraLock 2000 IG			✓		✓			✓	✓	✓					✓	✓		✓	✓		
LataCoustic Sound Control Underlayment	ΔLw 16 dB		✓	✓	✓			✓	**	✓	**		✓	✓							✓
Attenu Matt Sound Control Underlayment	ΔLw 18 dB		✓	✓	✓			✓	**	✓	**		✓	✓							✓

* When mixed with Latex Admix

**Consult Laticrete

Internal only

CEMENT BASED ADHESIVES

280 STANDARD THIN-SET FLOOR ADHESIVE



A sanded, thin-set adhesive for installing quarry tiles, pavers, brick and stone. For Interior & exterior use over masonry, concrete surfaces and mortar beds. For improved performance fortify with LATICRETE Latabond.

INFORMATION

APPROX COVERAGE:

6-8m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

Grey
Off-white

NOTES/PRICING

317 SUPER CEMENT BASED ADHESIVE



An economical Super cement based adhesive for installing ceramic tile, quarry tile & natural stone. Mix with water for internal & external applications on masonry substrates. When mixed with Latabond, the adhesive is suitable for tile over tiles, plasterboard, cement sheet and suitable waterproof membranes. For swimming pool use, mix with 3701 Grout & Mortar Admix. When mixed with 101 Rapid Latex, meets and exceeds the requirement of a C2TFS1 Classification.

APPROX COVERAGE:

6.5-7.5m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

Off-white
White (special order)

290 SUPER FLOOR 'N WALL PREMIUM CEMENT



290 is a premium grade Super Cement Based Adhesive for installing ceramic tile, quarry tile & natural stone. Mix with water for internal & external applications on masonry substrates. When mixed with Latabond, the adhesive is suitable for plasterboard, cement sheet and suitable waterproof membrane. For hard to bond substrates like vinyl & Formica, mix with 333 Super Flexible Mortar Additive. For swimming pool use, mix with 3701 Mortar Admix. Meets and exceeds the requirements of a C2TE Classification.

APPROX COVERAGE:

6.5-7.5m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

Grey (special order)
Off-white
White (special order)

MULTI-PURPOSE ADHESIVES

335 PREMIUM FLEXIBLE TILE ADHESIVE



Is a Flexible Premium Cementitious Adhesive is a high performance bagged cementitious powder to be mixed with water to install low absorption ceramic tile, porcelain tile and natural stone using the thin-set method of installation. Exceeds the requirements of AS4992.1&2 classification C2TES1. Excellent for exterior and underwater applications, superior bond to masonry. The ultimate thin-set for porcelain and glass tile.

INFORMATION

APPROX COVERAGE:

7-8m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

Off-white
White
Grey

NOTES/PRICING

253 MULTIPURPOSE FLEXIBLE TILE ADHESIVE



Is a Flexible polymer fortified multipurpose adhesive for installing porcelain, ceramic, quarry, stone and glass tile over cement sheet, Gyprock, suitable waterproof membranes and masonry surfaces. For internal and external installations. High performance when mixed with water. Meets and exceeds the requirements for a C2TES1 Classification.

APPROX COVERAGE:

7-8m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

Grey
White (special order)

ULTRA X8 POLYMER FORTIFIED FLEXIBLE ADHESIVE



Ultra X8 –The unique composition adds workability, flexibility and reduces shrinkage of the adhesive. This adhesive is up to 40% higher performing than normal cement based adhesives. X8 is suitable for use on cement sheet, suitable waterproof membranes, renders, screeds and masonry surfaces, both internally and externally. Also suitable for plasterboard in internal areas. X8 can be fortified with Laticrete Latex Additives for a wide range of installations. Exceeds the requirements for a C1TE Classification.

APPROX COVERAGE:

7-8m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

White

LATAFIX 248 MULTI PURPOSE ADHESIVE



Flexible Multipurpose Adhesive for installing tile & stone to concrete, brick, renders, screeds, plaster board, concrete block, cement sheet & suitable waterproof membranes. Suitable for white marble and glass tiles. Internal use.

APPROX COVERAGE:

11.5-12.5m² per bag using
6x6mm notch trowel

PACKAGING:

20kg bag - 56 bags per pallet

COLOUR:

White

MULTI-PURPOSE ADHESIVES

4-XLT - FOR EXTRA LARGE TILE



LATICRETE® 4-XLT is a Premium flexible medium bed adhesive engineered to significantly reduce shrinkage when used as directed for a medium bed adhesive. LATICRETE® 4-XLT can also be used as a thin set adhesive for normal tile and stone installations.

INFORMATION

APPROX COVERAGE:
12-14m² per bag using
6x6mm notch trowel

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Off-white

NOTES/PRICING

LATAFLEX GOLD (FLEXIBLE) RUBBER & POLYMER



Lataflex Gold is a flexible adhesive that provides excellent coverage when mixed with water. Lataflex has good open time and bucket life as well as setting fast to enable grouting in a shorter time than conventional adhesives. Lataflex will bond to all common substrates as well as tile over tile, suitable for internal and external use. Meets and exceeds the requirements for a CITES1 Classification.

APPROX COVERAGE:
12-14m² per bag using
6x6mm notch trowel

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Off-white

LATAFLEX SILVER RUBBER & POLYMER



Lataflex Silver provides an excellent coverage when mixed with water. Lataflex Silver has good open time and bucket life. Lataflex Silver will bond to plaster board, cement sheet and most common building substrates as well as suitable waterproof membranes. Suitable for internal and external use. Meets and exceeds the requirements for a CITES1 Classification.

APPROX COVERAGE:
11-13m² per bag using
6x6mm notch trowel

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Off-white

MULTIFLEX MULTI-PURPOSE FLEXIBLE ADHESIVE



An economical flexible rubber based multipurpose for installing ceramic tile, quarry tile and stone. Ideal for installing tile and stone over cement sheet, suitable waterproof membranes, plasterboard, tile over tile and masonry in internal installations. External installations over suitable waterproof membranes and masonry substrates. Meets and exceeds the requirements for a CITES1 Classification.

APPROX COVERAGE:
8-10m² per bag using
10x10mm notch trowel

PACKAGING:
20kg bag - 56 bags per pallet
25kg bag

COLOUR:
Off-white

SPECIALISED ADHESIVES

MULTIMASTIC PREMIUM ADHESIVE



MultiMastic is a white one pot adhesive designed for interior installations of ceramic tile on both wall and floors. Recommended for use over plasterboard, cement sheet, render and concrete. MultiMastic is a special no slump formula that allows the tiler to hang a tile without the need for spacers. Meets and exceeds the requirements of a DITE Classification.

INFORMATION

APPROX COVERAGE:

1L per m² using
6x6mm notch trowel

PACKAGING:

1L jug - 12 jugs per carton
4L pail - 3 pails per carton
15L pail - 32 pails per pallet

NOTES/PRICING

2 PART ANTI-FRACTURE ADHESIVE



AFA is a flexible 2 part rubber adhesive for installing tile and stone to a wide variety of substrates. Recommended for internal use only over concrete, screeds, renders, plasterboard, cement sheet, suitably prepared sheet wood flooring, suitable waterproof membranes and masonry.

APPROX COVERAGE:

20m² per unit using 10x10mm
notch trowel from 20L kit

PACKAGING:

20L kit consisting of 1 x pail of
liquid and 2 x 20kg bag of powder

10L kit consisting of 1 x pail of
liquid and 1 x 20kg bag of powder

LATAPOXY 310 SPOT BONDING



A 2-component, high strength construction epoxy adhesive for spot bonding large format tile and stone on vertical surfaces, for interior or approved exterior applications. Offers major advantages in terms of speed and productivity over mechanical anchoring, plaster and wire, and the thin-set method of veneer installation. LATAPOXY® 310 Stone Adhesive allows for quick, easy plumb adjustment while stone is in place to compensate for uneven walls and stone thickness variations. LATAPOXY 310 Stone Adhesive is permanent; it will not fail or deteriorate over time.

PACKAGING:

1 Litre unit (Carton of 8)
A+B Normal Set
A+B Rapid Set

10 Litre unit (Each)
A+B Normal Set
A+B Rapid Set

20 Litre unit (Each)
A+B Normal Set
A+B Rapid Set

MORTAR POWDERS & SELF LEVELLER

226 THICK BED MORTAR MIX



226 is a factory blend of high strength Portland cement and graded sands for use with 3701 Mortar Admix for medium & thick bed applications. Provides high performance & tight quality control. Can also be fortified with Laticrete 101, 333 & Latabond latex admixes. Mix 2 litres of latex admix with a 20 kg bag of 226 for semi-dry screeds and 2.6 litres of latex admix with a 20 kg bag of 226 for renders.

INFORMATION

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Grey

NOTES/PRICING

211 CRETE FILLER POWDER



A factory blend of high-strength Portland cement and graded sand for use with Laticrete 4237 Latex Mortar Admix & Laticrete 73 Tile Setting Liquid. For use with Laticrete 3701 as a slurry bond coat. Provides high performance, tight quality control & job site convenience.

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Grey
White

86 LATILEVEL SELF LEVELING UNDERLAYMENT



LATICRETE 86 LatiLevel is a cementitious powder that is mixed with water to produce a free-flowing selfleveling underlayment mortar for rapid leveling of interior and exterior sub-floors. Can be poured from feather edge to 20mm in one pour. LATICRETE 86 LatiLevel will produce a smooth and flat surface with excellent durability, which is ready for foot traffic in less than 4 hours at 21°C. The primer will increase bond and strength to substrates.

COVERAGE:
Will cover approximately 4m² at 3mm thick

PACKAGING:
20kg bag - 56 bags per pallet

COLOUR:
Grey

PRIMER:
20L pail - 32 pails per pallet
5L jug - 3 jugs per carton

LATEX ADMIXES

101 RAPID SET LATEX ADMIX



101 Rapid Set Latex Admix will mix with any cement based powder to increase performance and shorten the setting time. 101 can be used as an admix to renders, screeds, cement based adhesives and grout. For use in patching concrete and toppings. When mixed with Laticrete #317 or Laticrete 290 Floor 'n Wall adhesive, tiles can be grouted in 3 hours and ready for traffic in 4 hours at 23°C room temperature. Meets the requirements of a C2TES1 Classification.

INFORMATION

APPROX COVERAGE:

21-25m² using 6x6mm notch trowel with 1 x 20L pail with 4 x 20kg bags of cement based adhesive

PACKAGING:

5L jugs - 3 jugs per carton
20L pail - 32 pails per pallet

NOTES/PRICING

333 SUPER FLEXIBLE ADDITIVE



333 Latex liquid additive can be used instead of water to mix with all cement based adhesives. This provides a super high performance for bonding to hard to bond substrates, such as terrazzo, existing ceramic tile concrete and block work in external areas, vinyl tile, exterior grade ply wood, plasterboard, linoleum, plastic laminates and cut back adhesives in interior areas only.

APPROX COVERAGE:

21-25m² using 6x6mm notch trowel with 1 x 20L pail with 4 x 20kg bags of cement based adhesive

PACKAGING:

20L pail - 32 pails per pallet

1776 FLEXIBLE GROUT FORTIFIER (BIO BARRIER)



1776 is a specially designed for easy to use and easy to clean liquid latex additive for use with all cement based grouts. 1776 is economical and will provide long lasting performance for wall and floor grout. "NOW WITH BIO BARRIER"

PACKAGING:

5L jugs - 3 jugs per carton
20L pail - 32 pails per pallet

LATABOND LATEX ADMIX



Latabond is a multi purpose latex admix for use in all cement based powders. Latabond is mixed on the job site to make screeds, renders and stucco mixes. Use Latabond in place of water to fortify cement based adhesives & tile grouts. Latabond adds bond strength, compressive strength, reduces water absorption and increases shock resistance to all mortars.

PACKAGING:

5L jugs - 3 jugs per carton
20L pail - 32 pails per pallet

LATEX ADMIXES

4237 LATEX MORTAR ADMIX



4237 is the original latex additive for tile and stone adhesives. 4237 will mix with Laticrete 211 Crete Filler powder to make a high strength, chemical, shock and vibration resistant adhesive. Suitable for swimming pools, facades, commercial and industrial tile and stone installations. Mix 4237 with 500 Series Laticrete floor grout to make a coloured adhesive for installing glass mosaics.

INFORMATION

APPROX COVERAGE:
25-30m² using 6x6mm notch trowel with 19L pail mixed with 4 x bags of 211 powder

PACKAGING:
19L pail - 32 per pallet
7L pail - 32 per pallet
1L jug - 12 per carton

NOTES/PRICING

4237 RAPID LATEX MORTAR ADMIX



For a fast setting tile & stone adhesive. 4237 Rapid will mix with Laticrete 211 Crete Filler powder to make a high strength, chemical, shock & vibration resistant adhesive. Suitable for commercial & industrial tile and stone installations. 4237 Rapid is ready for foot traffic in 3 hours at room temperature.

APPROX COVERAGE:
25-30m² using 6x6mm notch trowel with 19L pail mixed with 3.5 x bags of 211 powder

PACKAGING:
19L pail - 32 pails per pallet

3701 GROUT & MORTAR ADMIX



3701 Latex admix is designed for use with Laticrete #226 Mortar Mix or Portland cement and sand mixes. 3701 is a multi use latex that will fortify any cement based adhesive or cement based tile grout, 3701 can be mixed with Laticrete 211 Crete Filler powder or neat cement for use as a slurry bond coat. Use 3701 in place of water for screeds & renders. 3701 increases the physical performance of Portland cement mortars.

PACKAGING:
5L jugs - 3 bottles per carton
20L pail - 32 pails per pallet

LATICRETE 73 TILE SETTING LIQUID



















73 is a contractor grade latex additive for use with Laticrete 211 Crete Filler Powder or 1:1 Portland cement and sand mixtures to make a tile fixing adhesive. 73 can be mixed with sanded colour grouts to make a coloured adhesive for installing glass tiles. 73 adds flexibility and increases bond strength to all cement based adhesives. For use over plasterboard, cement sheet and masonry substrates. 73 can be mixed with Portland cement for use as a bonding agent, suitable for commercial tile & stone installations.

APPROX COVERAGE:
25-30m² using 6x6mm notch trowel with 19L pail mixed with 3.5 x bags of 211 powder

PACKAGING:
19L pail - 36 pails per pallet

















GROUT COLOUR CHART

CODE	SMOOTH GROUT	SANDED GROUT	PERMACOLOUR	SPECTRALOCK		
44	●	●	●	●	Bright White	
18			●	●	Sauterne	
16			●	●	Siltstone	
85			●	●	Almond	
3			●	●	Silk	
23	●	●	●	●	Antique White	
39			●	●	Mushroom	
41			●	●	Kashmir	
81			●	●	Butter Cream	
52			●	●	Toasted Almond	
55			●	●	Tawny	
17			●	●	Marble Beige	
40			●	●	Latte	
61			●	●	Parchment	
30			●	●	Sand Beige	
56			●	●	Desert Khaki	



The colours shown here are for representation purposes only. For the exact colour or to view the Dazzle range of colours please visit your closest Laticrete office.









GROUT COLOUR CHART

CODE	SMOOTH GROUT	SANDED GROUT	PERMACOLOUR	SPECTRALOCK		
38			●	●	River Rock	
27			●	●	Hemp	
57			●	●	Hot Cocoa	
92			●	●	Saltillo	
58			●	●	Terra Cotta	
46			●	●	Quarry Red	
43			●	●	Chocolate Truffle	
66			●	●	Chestnut Brown	
59			●	●	Espresso	
35			●	●	Mocha	
50			●	●	Sea Glass	
67			●	●	Autumn Green	
53			●	●	Twilight Blue	
42			●	●	Platinum	
91			●	●	Slate Grey	
88	●	●	●	●	Silver Shadow	









The colours shown here are for representation purposes only. For the exact colour or to view the Dazzle range of colours please visit your closest Laticrete office.

GROUT COLOUR CHART

CODE	SMOOTH GROUT	SANDED GROUT	PERMACOLOUR	SPECTRALOCK		
89	●	●	●	●	Smoke Grey	
90			●	●	Light Pewter	
78			●	●	Sterling Silver	
24	●	●	●	●	Natural Grey	
34			●	●	Sandstone	
60			●	●	Dusty Grey	
45			●	●	Raven	
22	●	●	●	●	Midnight Black	

LATICRETE SLATE & QUARRY GROUT COLOUR CHART

Buff	
Beige	
Light Grey	
Mid Grey	
Neutral Grey	
Charcoal	



The colours shown here are for representation purposes only. For the exact colour or to view the Dazzle range of colours please visit your closest Laticrete office.

GROUTING MATERIALS

SPECTRALOCK PRO GROUT



LATICRETE SpectraLOCK® PRO Grout offers high performance, colour uniformity, durability and stain resistance of epoxy grout with extraordinary ease of use.

INFORMATION

PACKAGING:

Mini Unit
#1 Unit
#4 Unit

Dazzle Carton consist of:
2 canisters, sufficient for a #1 unit

NOTES/PRICING

PERMACOLOR® GROUT



LATICRETE PermaColor® Grout offers the maximum performance available in a cement-based grout, providing consistent colour and Microban® to resist stain-causing mold and mildew. PermaColor Grout is easy to install – just mix with water. PermaColor Grout is ideal for floors and walls in both interior and exterior installations.

PACKAGING:

2kg bag - 8 bags per carton
10kg bags - 100 bags per pallet

SMOOTH GROUT (Joints under 3mm)



A careful blend of high strength Portland cement, polymer fortifiers and fillers. For grouting narrow joints up to 4mm. Suitable for marble, granite and ceramic tiles. For maximum performance fortify with Laticrete 1776 Grout Admix Plus or Laticrete Flexible Grout Fortifier. (This grout can be used in small joints on floors).

Note: Six colours available.

PACKAGING:

2kg bag - 8 bags per carton
10kg bags - 100 bags per pallet

SANDED GROUT (Joints over 3mm)



A specially formulated blend of high strength Portland cement, graded aggregates, polymer fortifiers and colour fast pigments. Designed to provide a dense and durable grout joint. Economical, permanent and easy to use. For maximum performance fortify with Laticrete 1776 Grout Admix Plus or Laticrete 3701. (This grout can be used in large joints on walls).

Note: Six colours available.

PACKAGING:

2kg bag - 8 bags per carton
10kg bags - 100 bags per pallet

SLATE & QUARRY GROUT



LATICRETE® Slate & Quarry Grout is a premium, factory prepared Mortar for Grouting or Pointing, designed to be mixed with water or LATICRETE 1776 Grout Enhancer. Formulated from a blend of high strength portland cement, graded aggregates, and color-fast pigments. Provides a joint that is dense, hard and durable

PACKAGING:

20kg bags - 56 bags per pallet

COMMERCIAL GROUTING MATERIALS

LATAPOXY® SP-100



LATAPOXY® SP-100 is a stainless, colour-fast epoxy grout specifically designed for use in floor and wall applications of ceramic tile, stone and structural glazed block. Ideal for residential kitchens, bathrooms, foyers, as well as cafeterias, institutional facilities, swimming pools, spas, restrooms and schools. Interior and exterior use.

INFORMATION

PACKAGING:

1/4 Unit carton of pails consist of:

4 x 0.2kg Part A

4 x 0.15kg Part B

1 Unit consists of:

1 x 0.818kg Part A

1 x 0.268kg Part B

#4 Unit consist of:

4 x 0.818kg Part A

4 x 0.268kg Part B

Powder needs to be purchased separately.

NOTES/PRICING

SPECTRALOCK® 2000 IG



LATICRETE® SpectraLOCK® 2000 IG is a 100% solids epoxy industrial grout specifically formulated to provide maximum chemical and stain resistance with exceptional ease of installation. Easy to trowel and clean, LATICRETE SpectraLOCK 2000 IG offers extended working time and a fast cure for same day installations. Combined with unmatched non-sag performance.

PACKAGING:

#1 Unit - liquids only

#4 Unit - liquids only

Latapoxy Part C powder

COLOUR:

Black

White

Grey

SEALERS, CLEANERS & PRIMERS

LATICRETE 190 SEALER



190 is a clear penetrating sealer for porous masonry, marble, limestone, sandstone, terracotta, cement grout joints and masonry surfaces. 190 is easy to apply and will provide a deep permanent seal for your projects. Suitable for internal and external use.

INFORMATION

PACKAGING:
 500ml bottle - 18 bottles per carton
 1L jug - 12 jugs per carton
 5L jug - 3 jugs per carton
 20L pail - 32 pails per pallet

NOTES/PRICING

TC 50



TC 50 is an acidic based cleaner with powerful detergents for the initial cleaning of ceramic tiles. TC 50 will remove grout haze, dirt and building debris from old and new tiles. Please read instructions before application.

PACKAGING:
 500ml bottle - 18 bottles per carton
 1L jug - 12 jugs per carton
 5L jug - 3 jugs per carton
 20L pail - 32 pails per pallet

EPISTRIP ULTRA CLEAN



Epistrip Ultra Clean is a simple and effective chemical for the removal of excess epoxy from tiles, flooring or other surfaces.

PACKAGING:
 1L bottle - 12 bottles per carton
 5L jug - 3 jugs per carton

MULTIPRIME



LATICRETE Multi Prime is an advanced multi purpose primer for use with the application of Laticrete 9240 and Laticrete 9237 waterproof membrane internally and externally and Laticrete SCU 150 and Laticrete LataCoustic internally.

PACKAGING:
 5L jug - 3 jugs per carton
 20L pail

WATERPROOF MEMBRANES

HYDROBAN LIQUID APPLIED MEMBRANE



HydroBan is a thin, load bearing waterproofing/crack isolation membrane that **DOES NOT** require the use of fabric in the field, coves or corners. LATICRETE HydroBan is a single component self curing liquid rubber polymer that forms a flexible, seamless waterproofing membrane. LATICRETE HydroBan bonds directly to a wide variety of substrates. Perfect for façade and swimming pool use.

INFORMATION

APPROX COVERAGE:

Commercial Unit: 23.2m²

Mini Unit: 4.6m²

PACKAGING:

Commercial Unit: 18.9L pail of liquid
36 pails per pallet

Mini Unit: 4 x 3.8L pails of liquid
packed in a carton. 30 cartons/pallet

COLOUR: Light green

NOTES/PRICING

LATICRETE 9235 LIQUID WATERPROOF MEMBRANE



9235 is an extra heavy duty thin load bearing membrane suitable for use under ceramic tile and stone in swimming pools, on facades, industrial and commercial tile installations as well as bathrooms and balconies. 9235 is liquid applied with a brush or roller, 9235 has a non-woven reinforcing fabric when purchased as a full unit. 9235 cleans up with cold water when fresh and is compatible with all Laticrete tile and stone installation materials. 9235 is a certified crack suppression material used for the isolation of non-structural cracks in substrates prior to installing tile or stone.

APPROX COVERAGE:

27.8m² per full unit

PACKAGING:

Full Unit (36 Full Units per pallet):

1 x 23L pail of liquid

1 x 25m roll fabric 1m wide

1 x 25m roll fabric 150mm wide

Reinforcing fabric 1m wide and
150mm wide a choice of forming
(soft) and non-forming (hard).

COLOUR: Black

LATICRETE 9237 LIQUID WATERPROOF MEMBRANE



9237 liquid applied waterproof membrane is a 2 coat medium to heavy duty membrane used for a wide variety of projects from Domestic bathrooms to Commercial installations. 9237 is an economical and fast to apply membrane. Use 9237 reinforcing fabric in all joints and corners, apply 2 coats of membrane to all other areas. Laticrete recommend using full reinforcing fabric for timber floors.

APPROX COVERAGE:

15-18m² per 19L pail

PACKAGING:

19L pail - 36 pails per pallet

COLOUR:

Black

SOUND CONTROL PRODUCTS

LATICRETE ATTENUMAT-720 SOUND CONTROL



LATICRETE AttenuMat-720 Sound Control Underlayment is a composite of recycled rubber particles and other selected sound attenuating granules. This forms a high density acoustical control mat that is available in varying thickness to aid in sound transmission reduction in tiled and other types of internal floor installations.

LATICRETE LATACOUSTIC SOUND CONTROL



LATICRETE LataCoustic Sound Control Underlayment is composite of recycled rubber particles and other selected sound attenuating granules to form a high density acoustical control mat. LataCoustic is available in varying thickness to aid in sound transmission reduction in tiled and other types of internal floor installations.

INFORMATION

APPROX COVERAGE:

12m² per roll (5mm)

18m² per roll (3mm)

PACKAGING:

1.2m x 10m (5mm) roll

16 rolls per pallet

1.2m x 15m (3mm) roll

20 rolls per pallet

APPROX COVERAGE:

18m² per roll (3mm thick)

PACKAGING:

1.2m x 15m roll

20 rolls per pallet

NOTES/PRICING

ALL PRICES, TERMS & CONDITIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

LARGE FUTURE PROJECTS

Contact LATICRETE for details on price quotations on future projects and large package size information.

PAYMENT TERMS

Payment due 30 days from statement date. Past due accounts are subject to 1.5% per month carrying charge on the unpaid balance (18% per annum). We cannot ship goods to past due accounts.

DELIVERY TERMS

Orders of \$1000 and over are free into store in Sydney, Melbourne, Brisbane metro areas only. Orders under \$1000 will be subject to a \$40 delivery charge. Hand unloading is not covered in our standard delivery, and may incur a surcharge.

SITE DELIVERIES

All building site deliveries must have full street address and a contact phone number of the person on site who will be accepting the order. Due to the issues with Unions and site access, a surcharge will apply for delays in unloading. Site conditions are out of our control, we at all times will try to work in with building sites but we can not be held responsible for delays outside of our control. A surcharge of \$15 per 10 minute bracket will apply after the first 15 minutes on site.

RETURN / CANCELLATIONS / CANNOT BE ACCEPTED UNLESS

Returns or cancellations can not be accepted unless prior written authorisation from LATICRETE has been issued, and return freight charges are PREPAID. All returned or cancelled goods are subject to a 10 to 30% inspection, repacking and restocking charge depending on the condition of goods when received, and only on goods that are less than one month old.

LATICRETE PTY LTD WILL AT NO TIME ACCEPT RETURNS OF POWDER MATERIALS THAT HAVE BEEN DELIVERED TO A JOB SITE.

SPECIAL ORDER ITEMS

Products shipped in full cartons only. Special orders may require four to eight weeks notice. Please call first to check availability. A written purchase order must be received from the customer to cover the special order and a deposit may be required.

Special orders cannot be cancelled or returned.

MINIMUM ORDER

\$100.00 per order pickup or delivery.

DISCLAIMER

LATICRETE Pty Ltd reserves the right to change specifications and packaging without notice. The use of these products are outside the control of the manufacturer and liability is restricted to the replacement of materials proven faulty. The manufacturer is not responsible for any loss or damage arising from incorrect usage of materials. All materials shall be installed as per the relevant Australian Standards.


Industry-Leading Products and Service... even on the go!

INTRODUCING the LATICRETE® Product Information App

For your iPhone®, iPad™, iPod Touch®
or Android™ device

Available on the
App Store

Available for
Android™




The LATICRETE Product Information App is an industry-first, full-service jobsite reference tool. Whether you are a professional contractor, distributor, dealer or do-it-yourselfer you will find this application to be a welcome addition to your tool kit!

FEATURES

- Product Catalogue: Network-updateable product listing with descriptions, packaging details and direct-links to additional documentation on all of our available products.
- Grout Coverage Calculator: Get quick coverage estimates for all LATICRETE grout products by entering your desired product, tile size and grout joint width in English or Metric units!

SCREENSHOTS



Project Listings

Flinders Street Station, Platforms, Melbourne
Royal Brisbane Hospital, Hydrotherapy Pool, Brisbane
Crown Casino, Paving & Swimming Pools, Melbourne
Star Casino, Paving, Bathrooms & Swimming Pools, Sydney
Queen Street Mall, Granite Paving, Brisbane
Coca Cola, Lae, Papua New Guinea
Mareeba Shire, Street Scape Tiling, Mareeba, Qld
Latrobe University, Stone Façade, Melbourne
Monash University, Tiled Façade, Melbourne
Robertson Barracks, Swimming Pools, Darwin
Liverpool Aquatic Centre, Swimming Pools, Sydney

Pymont Bay Footpaths, Granite Paving, Sydney
Smithfield Shopping Centre, Floor Tiling, Cairns
Trinity Swimming Pools, Cairns
Observatory Tower, Apartments, Sydney
Warringah Mall, Waterproofing & Paving, Sydney
Docklands Stadium, Commercial Kitchens, Melbourne
National Library Podium, Canberra
Sydney Aquatic Centre
Parliament House Swimming Pool
David Jones, Elizabeth St Store, Sydney

Proven Performance

from 50 years of innovation

